

TRANSLYFT løfteborde, enkeltsaks

Type	Kapacitet kg	Vandring mm	Byggehøjde mm	Maks. højde mm	Længde mm	Bredde mm	Løft sek.	Motor kW	Egenvægt kg
TR 500	500	550	160	710	900	650	11	0,37	115
TR 1000 A	1000	550	160	710	900	650	22	0,37	125
TR 1000	1000	550	160	710	900	900	22	0,37	135
TR 2000 ^	2000	530	200	730	900	900	13	0,75	190

TL 1000	1000	830	180	1010	1300	650	18	0,75	160
TL 1000 B	1000	830	180	1010	1300	800	18	0,75	175
TL 1000 F	1000	830	180	1010	1300	1000	18	0,75	180
TL 2000	2000	820	210	1030	1300	800	27	0,75	240
TL 2000 F	2000	820	210	1030	1300	1000	27	0,75	250
TL 3000	3000	800	240	1040	1300	1000	18	2,2	330
TL 3000 A	3000	800	240	1040	1300	800	18	2,2	320
TL 4000	4000	700	300	1000	1300	1000	26	2,2	460

TB 1000	1000	1000	210	1210	1500	800	18	0,75	240
TB 1000 F	1000	1000	210	1210	1500	1000	18	0,75	265
TB 2000	2000	1000	210	1210	1500	800	20	2,2	280
TB 2000 F	2000	1000	210	1210	1500	1000	20	2,2	295
TB 4000	4000	800	350	1150	1500	1200	27	2,2	625
TB 6000	6000	800	350	1150	1500	1200	36	2,2	700

TM 1500	1500	1100	230	1330	1700	900	27	0,75	315
TM 1500 B	1500	1100	230	1330	1700	1200	27	0,75	365
TM 3000	3000	1100	250	1350	1700	900	29	2,2	430
TM 3000 B	3000	1100	250	1350	1700	1200	29	2,2	455
TM 5000	5000	1100	350	1450	1700	900	42	2,2	600
TM 5000 B	5000	1100	350	1450	1700	1200	42	2,2	630

TA 1000 A	1000	1400	250	1650	2000	900	32	0,75	440
TA 1000	1000	1400	250	1650	2000	1200	32	0,75	505
TA 2000 A	2000	1400	250	1650	2000	900	35	2,2	465
TA 2000	2000	1400	250	1650	2000	1200	35	2,2	575
TA 2000 B	2000	1400	250	1650	2000	1500	35	2,2	595
TA 2000 R	2000	1400	260	1660	2000	2000	35	2,2	725
TA 4000 B	4000	1300	300	1600	2000	1500	54	3,0	835
TA 4000 R	4000	1300	300	1600	2000	2000	54	3,0	960

TS 2000	2000	1500	250	1750	2200	1200	35	2,2	580
TS 2000 B	2000	1500	250	1750	2200	1500	35	2,2	650
TS 4000	4000	1500	350	1850	2200	1200	54	3,0	805
TS 4000 B	4000	1500	350	1850	2200	1500	54	3,0	880

^ fritstående aggregat

TRANSLYFT A/S

Tlf. 98 86 49 00 • info@translyft.com
www.translyft.com



TT 1500	1500	1650	300	1950	2500	800	35	1,1	405
TT 1500 B	1500	1650	300	1950	2500	1200	35	1,1	500
TT 3000	3000	1600	350	1950	2500	1000	35	2,2	610
TT 3000 B	3000	1600	350	1950	2500	1500	35	2,2	830
TT 3000 R	3000	1600	350	1950	2500	2000	35	2,2	950
TT 3000 STR	3000	1600	320	1920	2500	2000	46	3,0	1200
TT 6000	6000	1500	450	1950	2500	1300	55	4,0	1160
TT 12000	12000	1250	410	1660	2600	2000	70	4,0	3320

TX 8000	8000	1600	600	2200	3000	1500	60	5,5	2200
TX 8000 R	8000	1600	600	2200	3000	2000	60	5,5	2360
TX 12000	12000	1600	800	2400	4000	2500	75	5,5	3600

TP 3000	3000	2000	400	2400	3100	1500	55	3,0	940
TP 6000	6000	2000	500	2500	3100	1500	75	4,0	1600
TP 6000 R	6000	2000	500	2500	3100	2000	75	4,0	1750

TJ 6000	6000	3000	550	3550	5000	3000	72	5,5	3200
TJ 10000	10000	3000	800	3800	5000	3000	80	11	5000

TRANSLYFT løfteborde, dobbelt vertikalsaks

Type	Kapacitet kg	Vandring mm	Byggehøjde mm	Maks. højde mm	Længde mm	Bredde mm	Løft sek.	Motor kW	Egenvægt kg
TRD 500	500	1100	270	1370	900	650	18	0,37	140
TRD 1000	1000	1100	270	1370	900	650	18	0,75	175
TRD 2000 ^	2000	1000	335	1335	900	800	33	0,75	275

TLD 1000	1000	1600	375	1975	1300	800	30	0,75	310
TLD 1000 F	1000	1600	375	1975	1300	1000	30	0,75	340
TLD 2000	2000	1600	400	2000	1300	900	32	2,2	375
TLD 2000 F	2000	1600	400	2000	1300	1000	32	2,2	410

TBD 1000	1000	1800	400	2200	1500	900	30	2,2	450
TBD 1000 B	1000	1800	400	2200	1500	1200	30	2,2	495
TBD 2000	2000	1800	400	2200	1500	900	42	2,2	490
TBD 2000 B	2000	1800	400	2200	1500	1200	42	2,2	530

TMD 1000	1000	2150	400	2550	1700	900	41	2,2	500
TMD 1000 B	1000	2150	400	2550	1700	1200	41	2,2	570
TMD 2000	2000	2150	400	2550	1700	900	59	2,2	605
TMD 2000 B	2000	2150	400	2550	1700	1200	59	2,2	650
TMD 3000	3000	2150	440	2590	1700	1200	65	2,2	750
TMD 3000 B	3000	2150	440	2590	1700	1500	65	2,2	790

TRANSLYFT A/S

Tlf. 98 86 49 00 • info@translyft.com
www.translyft.com

TAD 1000	1000	2800	400	3200	2000	1200	49	2,2	685
TAD 2000	2000	2800	400	3200	2000	1200	54	3,0	760
TAD 3000	3000	2800	475	3275	2000	1300	60	4,0	970

TSD 1500	1500	3000	450	3450	2200	1300	50	2,2	800
TAD 3000	3000	3000	500	3500	2200	1300	65	4,0	1100

TTD 3000	3000	3000	600	3600	2500	1300	80	4,0	1500
----------	------	------	-----	------	------	------	----	-----	------

TPD 10000	10000	4500	1100	5600	3800	2000	100	11,0	5000
-----------	-------	------	------	------	------	------	-----	------	------

TXD 4000	4000	4500	800	5300	4000	2000	80	7,5	3100
TXD 6000	6000	4500	1000	5500	4000	2500	90	11,0	4800



TRANSLYFT løfteborde, tripple vertikalsaks

Type	Kapacitet kg	Vandring mm	Byggehøjde mm	Maks. højde mm	Længde mm	Bredde mm	Løft sek.	Motor kW	Egenvægt kg
TRT 500	500	1500	400	1900	900	650	30	0,37	195

TLT 1500	1500	2400	550	2950	1300	900	30	2,2	495
----------	------	------	-----	------	------	-----	----	-----	-----

TMT 1500	1500	3300	600	3900	1700	1200	65	2,2	1180
TMT 1500 B	1500	3300	600	3900	1700	1500	65	2,2	1220
TMT 2500	2500	3300	600	3900	1700	1200	65	2,2	1040

TST 1500 ^	1500	4500	800	5300	2400	1500	42	5,5	1300
TST 2500 ^	2500	4500	800	5300	2400	1500	56	5,5	2400
TST 3500	3500	4000	1000	5000	2500	1500	88	5,5	2665

TPT 1500	1500	5700	1000	6700	3200	2000	70	5,5	3785
----------	------	------	------	------	------	------	----	-----	------

TXT 2000	2000	7000	1015	8015	4000	2000	75	7,5	4175
----------	------	------	------	------	------	------	----	-----	------

^ fritstående aggregat

TRANSLYFT A/S

Tlf. 98 86 49 00 • info@translyft.com
www.translyft.com

TRANSLYFT løfteborde, dobbelt horisontalsaks

Type	Kapacitet kg	Vandring mm	Byggehøjde mm	Maks. højde mm	Længde mm	Bredde mm	Løft sek.	Motor kW	Egenvægt kg
TRH 1000	1000	550	160	710	1800	650	22	0,37	180
TLH 2000 A	2000	830	180	1010	2600	650	36	0,75	290
TLH 2000	2000	830	180	1010	2600	800	36	0,75	325
TLH 4000	4000	820	210	1030	2600	800	54	0,75	445
TBH 2000	2000	1000	210	1210	3000	800	36	0,75	460
TBH 2000 F	2000	1000	210	1210	3000	1000	36	0,75	495
TMH 3000	3000	1100	230	1330	3400	900	44	0,75	565
TMH 3000 B	3000	1100	230	1330	3400	1200	44	0,75	660
TMH 6000	6000	1100	250	1350	3400	900	50	2,2	790
TAH 2000 A	2000	1400	250	1650	4000	900	35	2,2	820
TAH 2000	2000	1400	250	1650	4000	1200	35	2,2	885
TAH 4000 A	4000	1400	250	1650	4000	900	70	2,2	920
TAH 4000	4000	1400	250	1650	4000	1200	70	2,2	1010
TAH 8000 B ^	8000	1300	300	1600	4000	1500	108	3,0	1680
TAH 8000 R ^	8000	1300	300	1600	4000	2000	108	3,0	1800
TSH 4000	4000	1500	250	1750	4400	1200	70	2,2	920
TSH 8000 ^	8000	1500	350	1850	4400	1200	108	3,0	1550
TTH 3000 B	3000	1650	300	1950	5000	1200	40	2,2	1100
TTH 6000	6000	1600	350	1950	5000	1300	55	3,0	2000

^ Fritstående aggregat



TRANSLYFT A/S

Tlf. 98 86 49 00 • info@translyft.com
www.translyft.com

TRANSLYFT løfteborde, superlav excl. rampe

Type	Kapacitet kg	Vandring mm	Byggehøjde mm	Maks. højde mm	Længde mm	Bredde mm	Løft sek.	Motor kW	Egenvægt kg
TCB 600 K	600	545	85	630	1200	800	12	0,75	200
TCB 1000	1000	715	85	800	1500	800	12	0,75	260
TCB 1000 F	1000	715	85	800	1500	1000	12	0,75	275
TCB 1000 X	1000	895	85	980	1500	800	15	1,1	240
TCB 1000 XF	1000	895	85	980	1500	1000	15	1,1	260
TCB 1500	1500	715	85	800	1500	800	15	1,1	300
TCB 1500 F	1500	715	85	800	1500	1000	15	1,1	345
TCB 1500 X	1500	895	85	980	1500	800	19	1,1	300
TCB 1500 XF	1500	895	85	980	1500	1000	19	1,1	325
TCB 2000	2000	695	105	800	1500	800	16	1,1	340
TCB 2000 F	2000	695	105	800	1500	1000	16	1,1	360
TCB 600 XL	600	1100	105	1205	2000	1000	24	0,75	415

^alle typer har fritstående aggregat

Rampe for TCB superlav

TCB 1000/1500	600 x 800 mm (L x B)
TCB 2000	800 x 800 mm (L x B)



TRANSLYFT løfteborde, superlav, dobbelthorisonal excl. rampe

Type	Kapacitet kg	Vandring mm	Byggehøjde mm	Maks. højde mm	Længde mm	Bredde mm	Løft sek.	Motor kW	Egenvægt kg
TCBH 1200	1200	545	85	630	2400	800	24	0,75	400
TCBH 2000	2000	715	85	800	3000	800	24	0,75	455
TCBH 2000 F	2000	715	85	800	3000	1000	24	0,75	495
TCBH 2000 X	2000	890	90	980	3000	800	30	1,1	415
TCBH 2000 XF	2000	890	90	980	3000	1000	30	1,1	465
TCBH 3000	3000	715	85	800	3000	800	30	1,1	560
TCBH 3000 F	3000	715	85	800	3000	1000	30	1,1	600
TCBH 3000 X	3000	890	90	980	3000	800	38	1,1	510
TCBH 3000 XF	3000	890	90	980	3000	1000	38	1,1	560

TRANSLYFT løfteborde, superlav, E og U-form

TRANSLYFT A/S

Tlf. 98 86 49 00 • info@translyft.com
www.translyft.com

Type	Kapacitet kg	Vandring mm	Byggehøjde mm	Maks. højde mm	Længde mm	Bredde mm	Løft sek.	Motor kW	Egenvægt kg
TEB 600	600	715	85	800	1450	900	13	0,75	190
TUB 600 K	600	545	85	630	1200	1085	12	0,75	180
TUB 1000	1000	715	85	800	1450	1085	12	0,75	235
TUB 1000 X	1000	895	85	980	1450	1000	15	1,1	205
TUB 2000	2000	695	105	800	1500	1200	16	1,1	325

^Alle typer har fritstående hydraulikaggregat



TRANSLYFT palleløfter

Type	Kapacitet kg	Vandring mm	Byggehøjde mm	Maks. højde mm	Længde mm	Bredde mm	Løft sek.	Motor kW	Egenvægt kg
TSL9-1000	1000	900	70	970	1185	840	20	0,75	280
TSLN-9, mit Kip	1000	900	70	970	1185	840	20	0,75	345
TSL, Mast	1000	900		900			20	0,75	125



TRANSLYFT A/S

Tlf. 98 86 49 00 • info@translyft.com
www.translyft.com